



Maryland Consumption of Fentanyl 1980 - 2006



Sources: U.S. Dept of Justice, Drug Enforcement Administration, Office of Diversion Control

Note: Data for 2000 are interpolated.


Maryland Consumption of Hydrocodone 1980 - 2006



Sources: U.S. Dept of Justice, Drug Enforcement Administration, Office of Diversion Control

Note: Data for 2000 are interpolated.


Maryland Consumption of Hydromorphone 1980 - 2006



Sources: U.S. Dept of Justice, Drug Enforcement Administration, Office of Diversion Control

Note: Data for 2000 are interpolated.


Maryland Consumption of Meperidine 1980 - 2006



Sources: U.S. Dept of Justice, Drug Enforcement Administration, Office of Diversion Control

Note: Data for 2000 are interpolated.


Maryland Consumption of Methadone 1980 - 2006



Sources: U.S. Dept of Justice, Drug Enforcement Administration, Office of Diversion Control

Note: Data for 2000 are interpolated.


Maryland Consumption of Morphine 1980 - 2006



Sources: U.S. Dept of Justice, Drug Enforcement Administration, Office of Diversion Control


Note: Data for 2000 are interpolated.

Maryland Consumption of Oxycodone 1980 - 2006




South Atlantic Division Consumption of Fentanyl, 2006

— Divisional mean, (90.9746 mg/cap) — National mean, (83.9487 mg/capita)




South Atlantic Division Consumption of Hydrocodone, 2006

— Divisional mean, (6,485.8556 mg/capita) — National mean, (5,867.4595 mg/capita)



South Atlantic Division Consumption of Hydromorphone, 2006


— Division mean, (218.9507 mg/capita) — National mean, (174.7941 mg/capita)



Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008


South Atlantic Division Consumption of Meperidine, 2006

— Division mean, (1,215.027 mg/capita) — National mean, (805.7778 mg/capita)




South Atlantic Division Consumption of Methadone, 2006

— Division mean, (1,676.6711 mg/capita) — National mean, (1,297.5585 mg/capita)



South Atlantic Division Consumption of Morphine, 2006


— Division mean, (3,590.7468 mg/capita) — National mean, (3,429.6144 mg/capita)




Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008

South Atlantic Division Consumption of Oxycodone, 2006

— Division mean, (9,910.0418 mg/capita) — National mean, (6,972.5929 mg/capita)



South Regional Consumption of Fentanyl, 2006



Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008

South Regional FENTANYL Consumption, 2006: (mg/capita)


1	Florida	266.7745
2	Texas	222.5277
3	North Carolina	147.4142
4	Georgia	120.8749
5	Tennessee	112.1246
6	Virginia	88.5849
7	Maryland	79.1244
8	Alabama	74.6541
9	Oklahoma	69.6152
10	Kentucky	63.2471
11	South Carolina	60.5880
12	Louisiana	54.8122
13	Mississippi	45.9757
14	West Virginia	36.7096
15	Arkansas	34.1121
16	Delaware	13.6346
17	District of Columbia	5.0664

PAIN & POLICY STUDIES GROUP



WHO Collaborating Center for
Policy and Communications in Cancer Care
University of Wisconsin Paul P. Carbone
Comprehensive Cancer Center

South Regional Consumption of Hydrocodone, 2006




Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008

South Regional HYDROCODONE Consumption, 2006: (mg/capita)

1	Texas	30,640.4364
2	Florida	22,888.2383
3	Tennessee	14,719.5562
4	Kentucky	9,259.7206
5	Georgia	9,133.9503
6	Alabama	8,931.4766
7	North Carolina	8,386.6563
8	Louisiana	8,009.8430
9	Oklahoma	6,357.4385
10	South Carolina	5,955.6394
11	Virginia	5,291.2747
12	Mississippi	4,194.9214
13	Arkansas	3,940.1942
14	West Virginia	3,741.5108
15	Maryland	2,435.2859
16	Delaware	408.8990
17	District of Columbia	131.2462




South Regional Consumption of Hydromorphone, 2006




Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008

South Regional HYDROMORPHONE Consumption, 2006: (mg/capita)

1	Florida	789.3556
2	Texas	461.4899
3	Virginia	319.0886
4	Maryland	254.4248
5	Tennessee	218.5453
6	North Carolina	207.1811
7	Georgia	157.1075
8	South Carolina	110.8709
9	Louisiana	108.3306
10	Kentucky	91.2180
11	Arkansas	76.9539
12	Alabama	76.4290
13	West Virginia	62.9556
14	Delaware	47.5864
15	Mississippi	43.9413
16	District of Columbia	21.9856
17	Oklahoma	11.3561



South Regional Consumption of Meperidine, 2006



Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008

South Regional MEPERIDINE Consumption, 2006: (mg/capita)


1	Florida	2,950.4003
2	Georgia	2,579.8944
3	Tennessee	2,444.3900
4	Texas	2,358.2074
5	Alabama	2,104.3494
6	Louisiana	1,699.4101
7	North Carolina	1,621.6939
8	Arkansas	1,562.6493
9	South Carolina	1,558.1404
10	Oklahoma	1,515.4396
11	Virginia	1,320.9286
12	Mississippi	1,075.5592
13	Kentucky	800.8424
14	Maryland	586.6430
15	West Virginia	203.0236
16	Delaware	65.1863
17	District of Columbia	49.3325

PAIN & POLICY STUDIES GROUP



WHO Collaborating Center for
Policy and Communications in Cancer Care
University of Wisconsin Paul P. Carbone
Comprehensive Cancer Center

South Regional Consumption of Methadone, 2006



Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008

South Regional METHADONE Consumption, 2006: (mg/capita)


1	Florida	6,405.7769
2	Texas	2,781.6253
3	Louisiana	2,772.3023
4	North Carolina	2,642.9166
5	Georgia	2,137.1404
6	Alabama	2,008.4102
7	Tennessee	1,595.9237
8	Virginia	1,528.7498
9	Kentucky	1,134.5082
10	Maryland	1,099.3394
11	Arkansas	906.3484
12	Oklahoma	855.6526
13	South Carolina	576.8761
14	West Virginia	435.7853
15	Mississippi	401.1475
16	Delaware	202.4576
17	District of Columbia	60.9981

PAIN & POLICY STUDIES GROUP



WHO Collaborating Center for
Policy and Communications in Cancer Care
University of Wisconsin Paul P. Carbone
Comprehensive Cancer Center

South Regional Consumption of Morphine, 2006




Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008

South Regional MORPHINE Consumption, 2006: (mg/capita)

1	Florida	12,424.9462
2	Tennessee	8,588.0252
3	Texas	7,657.5935
4	North Carolina	4,505.3027
5	Georgia	4,081.2448
6	Maryland	3,524.7033
7	Virginia	3,383.6877
8	Oklahoma	3,090.2264
9	Alabama	2,708.1542
10	South Carolina	2,154.0709
11	Kentucky	1,990.0430
12	Louisiana	1,819.1389
13	Arkansas	1,723.7024
14	West Virginia	1,298.4156
15	Mississippi	1,211.0272
16	Delaware	753.2032
17	District of Columbia	191.1473




South Regional Consumption of Oxycodone, 2006




Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008

South Regional OXYCODONE Consumption, 2006: (mg/capita)

1	Florida	39,587.9774
2	North Carolina	12,860.3044
3	Tennessee	12,645.5461
4	Maryland	9,251.3763
5	Texas	9,222.0850
6	Georgia	8,441.9580
7	Virginia	7,814.1609
8	Louisiana	5,463.1283
9	Kentucky	5,381.5976
10	Alabama	5,330.2522
11	South Carolina	5,241.1477
12	Oklahoma	5,123.3469
13	West Virginia	3,160.0318
14	Arkansas	3,159.9160
15	Delaware	2,274.8132
16	Mississippi	2,054.3481
17	District of Columbia	558.6066



National Consumption of Fentanyl, 2006




Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008

National FENTANYL Consumption, 2006: (mg/capita)

1	California	446.9776	27	South Carolina	60.5880
2	Florida	266.7745	28	Minnesota	59.8454
3	Pennsylvania	260.4731	29	Louisiana	54.8122
4	New York	240.6318	30	Mississippi	45.9757
5	Ohio	230.4928	31	Kansas	41.2758
6	Texas	222.5277	32	West Virginia	36.7096
7	Michigan	171.9732	33	Utah	36.0993
8	North Carolina	147.4142	34	Iowa	35.1942
9	Illinois	146.8872	35	Arkansas	34.1121
10	New Jersey	134.0392	36	Nevada	33.4081
11	Georgia	120.8749	37	New Mexico	22.9055
12	Indiana	113.4469	38	Nebraska	21.8528
13	Tennessee	112.1246	39	New Hampshire	19.4779
14	Arizona	106.8849	40	Maine	19.2029
15	Missouri	100.9042	41	Idaho	17.9254
16	Virginia	88.5849	42	Montana	14.5570
17	Massachusetts	83.9031	43	Rhode Island	14.1590
18	Wisconsin	82.2148	44	Delaware	13.6346
19	Washington	79.3540	45	South Dakota	11.7494
20	Maryland	79.1244	46	Alaska	11.3587
21	Alabama	74.6541	47	Hawaii	10.6220
22	Oklahoma	69.6152	48	Vermont	9.9919
23	Connecticut	68.5593	49	North Dakota	8.6747
24	Kentucky	63.2471	50	Wyoming	6.1903
25	Colorado	63.1247	51	District of Columbia	5.0664
26	Oregon	61.1867			



National Consumption of Hydrocodone, 2006




Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008

National HYDROCODONE Consumption, 2006: (mg/capita)

1	California	35,506.7390	27	Kansas	3,690.9643
2	Texas	30,640.4364	28	Wisconsin	3,387.3470
3	Florida	22,888.2383	29	Colorado	2,945.5683
4	Tennessee	14,719.5562	30	New Jersey	2,814.2727
5	New York	12,005.0751	31	Utah	2,748.3930
6	Michigan	11,738.9460	32	Maryland	2,435.2859
7	Illinois	11,153.0292	33	Massachusetts	2,085.5246
8	Kentucky	9,259.7206	34	Minnesota	2,044.9540
9	Georgia	9,133.9503	35	Iowa	1,942.0420
10	Alabama	8,931.4766	36	Idaho	1,744.6642
11	Ohio	8,889.1328	37	New Mexico	1,464.9868
12	North Carolina	8,386.6563	38	Connecticut	1,361.3897
13	Pennsylvania	8,170.2411	39	Nebraska	1,183.0847
14	Indiana	8,021.9112	40	Maine	1,046.5234
15	Louisiana	8,009.8430	41	Montana	955.8040
16	Oklahoma	6,357.4385	42	Hawaii	769.3665
17	Nevada	6,045.6107	43	Rhode Island	722.1541
18	South Carolina	5,955.6394	44	New Hampshire	511.3651
19	Missouri	5,705.6804	45	Alaska	491.0273
20	Washington	5,404.2060	46	South Dakota	480.6891
21	Virginia	5,291.2747	47	Wyoming	449.9662
22	Arizona	4,807.3237	48	Delaware	408.8990
23	Mississippi	4,194.9214	49	North Dakota	352.1931
24	Arkansas	3,940.1942	50	Vermont	284.8644
25	Oregon	3,889.1078	51	District of Columbia	131.2462
26	West Virginia	3,741.5108			



National Consumption of Hydromorphone, 2006




Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008

National HYDROMORPHONE Consumption, 2006: (mg/capita)

1	California	1,226.7106	27	Wisconsin	105.7265
2	Florida	789.3556	28	Kentucky	91.2180
3	New York	605.1857	29	Iowa	87.8954
4	Texas	461.4899	30	Arkansas	76.9539
5	Pennsylvania	399.1265	31	Alabama	76.4290
6	Ohio	347.0728	32	Kansas	66.9133
7	Virginia	319.0886	33	West Virginia	62.9556
8	Washington	303.2983	34	Utah	50.1661
9	Michigan	292.0717	35	Delaware	47.5864
10	Illinois	265.1947	36	New Hampshire	44.5446
11	Maryland	254.4248	37	Mississippi	43.9413
12	New Jersey	253.0469	38	Maine	40.7032
13	Massachusetts	227.5104	39	Montana	37.4136
14	Tennessee	218.5453	40	Idaho	35.7789
15	North Carolina	207.1811	41	New Mexico	35.7661
16	Colorado	193.4177	42	Vermont	35.7523
17	Arizona	176.0627	43	Rhode Island	34.4134
18	Oregon	175.6216	44	Hawaii	22.8458
19	Connecticut	168.7947	45	District of Columbia	21.9856
20	Missouri	160.9259	46	Nebraska	21.7480
21	Georgia	157.1075	47	Alaska	18.4818
22	Indiana	147.8563	48	South Dakota	17.3745
23	Minnesota	122.6070	49	North Dakota	15.3643
24	Nevada	110.9821	50	Oklahoma	11.3561
25	South Carolina	110.8709	51	Wyoming	9.3031
26	Louisiana	108.3306			



National Consumption of Meperidine, 2006



Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008


National MEPERIDINE Consumption, 2006: (mg/capita)

1	Florida	2,950.4003	27	Colorado	412.7065
2	Georgia	2,579.8944	28	Kansas	399.2055
3	California	2,568.2832	29	Nevada	393.8711
4	Tennessee	2,444.3900	30	New Mexico	376.1825
5	Texas	2,358.2074	31	Wisconsin	336.7807
6	Alabama	2,104.3494	32	Utah	310.8448
7	Louisiana	1,699.4101	33	Connecticut	296.6139
8	North Carolina	1,621.6939	34	Oregon	281.0801
9	Arkansas	1,562.6493	35	Iowa	232.0655
10	South Carolina	1,558.1404	36	West Virginia	203.0236
11	Oklahoma	1,515.4396	37	Alaska	186.2455
12	Ohio	1,349.8017	38	New Hampshire	183.4178
13	Virginia	1,320.9286	39	Minnesota	172.2307
14	New York	1,123.2889	40	Montana	144.6070
15	Missouri	1,099.8878	41	Idaho	132.2845
16	Mississippi	1,075.5592	42	Nebraska	123.0647
17	Arizona	931.9662	43	Maine	114.9576
18	Pennsylvania	914.1621	44	Hawaii	102.4185
19	Kentucky	800.8424	45	South Dakota	94.6426
20	Michigan	792.3116	46	Wyoming	91.7949
21	Indiana	747.8034	47	Rhode Island	89.1696
22	Illinois	704.8296	48	Delaware	65.1863
23	Washington	701.0873	49	District of Columbia	49.3325
24	Massachusetts	625.1244	50	Vermont	48.5514
25	Maryland	586.6430	51	North Dakota	47.9009
26	New Jersey	469.3940			



National Consumption of Methadone, 2006

— National mean, (1,297.5585 mg/capita)



Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008


National METHADONE Consumption, 2006: (mg/capita)

1	Florida	6,405.7769	27	Oklahoma	855.6526
2	California	6,370.1090	28	Utah	841.7051
3	Washington	3,299.5576	29	Colorado	789.0136
4	Texas	2,781.6253	30	Connecticut	721.6791
5	Louisiana	2,772.3023	31	Maine	596.3984
6	North Carolina	2,642.9166	32	Minnesota	582.2727
7	New York	2,639.4593	33	South Carolina	576.8761
8	Ohio	2,520.8477	34	Kansas	547.7910
9	Michigan	2,451.1330	35	New Hampshire	522.8382
10	Oregon	2,186.8242	36	West Virginia	435.7853
11	Pennsylvania	2,178.7963	37	Idaho	430.5618
12	Georgia	2,137.1404	38	Mississippi	401.1475
13	Alabama	2,008.4102	39	Hawaii	344.3779
14	Tennessee	1,595.9237	40	Iowa	333.6944
15	Indiana	1,550.9744	41	Montana	315.8309
16	Virginia	1,528.7498	42	Alaska	310.5843
17	Arizona	1,436.4368	43	New Mexico	290.8918
18	Massachusetts	1,434.8145	44	Delaware	202.4576
19	New Jersey	1,318.5264	45	Vermont	189.1368
20	Nevada	1,163.5697	46	Nebraska	160.4211
21	Kentucky	1,134.5082	47	Rhode Island	126.1617
22	Maryland	1,099.3394	48	North Dakota	95.7697
23	Wisconsin	1,028.1629	49	South Dakota	76.3757
24	Arkansas	906.3484	50	District of Columbia	60.9981
25	Illinois	901.7217	51	Wyoming	11.1317
26	Missouri	861.9564			



National Consumption of Morphine, 2006

National mean, (3,429.6144 mg/capita)



Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008


National MORPHINE Consumption, 2006: (mg/capita)

1	California	21,566.4014	27	Connecticut	2,008.4733
2	Florida	12,424.9462	28	Kentucky	1,990.0430
3	Tennessee	8,588.0252	29	Louisiana	1,819.1389
4	Pennsylvania	8,462.9954	30	Minnesota	1,757.4920
5	Arizona	7,750.4244	31	Arkansas	1,723.7024
6	Texas	7,657.5935	32	Utah	1,645.3574
7	Ohio	6,939.6397	33	Kansas	1,574.4225
8	New York	6,684.8318	34	New Mexico	1,371.3718
9	Michigan	6,365.5427	35	West Virginia	1,298.4156
10	Washington	6,022.7543	36	Iowa	1,298.2608
11	Oregon	4,711.6885	37	Hawaii	1,238.0675
12	North Carolina	4,505.3027	38	Mississippi	1,211.0272
13	Missouri	4,291.3456	39	Maine	1,176.8569
14	Georgia	4,081.2448	40	Montana	875.8310
15	Illinois	3,714.9898	41	New Hampshire	856.3139
16	Massachusetts	3,621.2792	42	Delaware	753.2032
17	Indiana	3,587.8281	43	Idaho	750.8759
18	Wisconsin	3,579.2579	44	Nebraska	701.7278
19	Maryland	3,524.7033	45	Alaska	596.8052
20	Virginia	3,383.6877	46	Vermont	558.7120
21	Oklahoma	3,090.2264	47	Rhode Island	410.8512
22	New Jersey	3,009.2921	48	South Dakota	375.9520
23	Colorado	2,938.5263	49	Wyoming	339.5870
24	Nevada	2,742.8219	50	North Dakota	279.1268
25	Alabama	2,708.1542	51	District of Columbia	191.1473
26	South Carolina	2,154.0709			



National Consumption of Oxycodone, 2006

— National mean, (6,972.5929 mg/capita)



Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008

National OXYCODONE Consumption, 2006: (mg/capita)

1	Florida	39,587.9774	27	Oklahoma	5,123.3469
2	California	28,162.7266	28	Illinois	4,900.0716
3	Pennsylvania	22,328.9253	29	Utah	4,764.1583
4	Ohio	21,594.9349	30	Minnesota	4,312.0064
5	New York	16,882.1678	31	West Virginia	3,160.0318
6	North Carolina	12,860.3044	32	Arkansas	3,159.9160
7	Tennessee	12,645.5461	33	Kansas	3,086.8163
8	Arizona	12,302.1304	34	Maine	2,653.4164
9	Washington	10,929.9503	35	New Mexico	2,637.7794
10	Massachusetts	10,662.8409	36	Delaware	2,274.8132
11	Missouri	9,801.1345	37	New Hampshire	2,176.1344
12	Maryland	9,251.3763	38	Mississippi	2,054.3481
13	Texas	9,222.0850	39	Iowa	2,042.1568
14	Michigan	8,583.7713	40	Rhode Island	1,799.7346
15	Georgia	8,441.9580	41	New Jersey	1,552.5063
16	Virginia	7,814.1609	42	Hawaii	1,473.7603
17	Wisconsin	7,538.0193	43	Nebraska	1,463.2581
18	Connecticut	6,908.7232	44	Montana	1,434.0096
19	Oregon	6,161.4796	45	Idaho	1,150.1661
20	Indiana	6,030.7252	46	Alaska	967.1548
21	Colorado	5,884.4810	47	Vermont	875.5232
22	Louisiana	5,463.1283	48	South Dakota	720.0060
23	Kentucky	5,381.5976	49	Wyoming	625.3007
24	Alabama	5,330.2522	50	District of Columbia	558.6066
25	South Carolina	5,241.1477	51	North Dakota	480.2343
26	Nevada	5,145.4361			

