



National Consumption of Fentanyl, 2006




Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008

National Consumption of Hydrocodone, 2006




Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008

National Consumption of Hydromorphone, 2006



Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008


National Consumption of Meperidine, 2006



Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008

National Consumption of Methadone, 2006


— National mean, (1,297.5585 mg/capita)



Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008

National Consumption of Morphine, 2006


National mean, (3,429.6144 mg/capita)



Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008

National Consumption of Oxycodone, 2006

— National mean, (6,972.5929 mg/capita)



Source: U.S. Dept. of Justice, Drug Enforcement Administration, Office of Diversion Control
Pain & Policy Studies Group, 2008