



Mg/capita Consumption of Fentanyl, Argentina, 1980-2006




Sources: International Narcotics Control Board; United Nations population data
By: Pain & Policy Studies Group, University of Wisconsin/WHO Collaborating Center, 2008

Mg/capita Consumption of Hydromorphone, Argentina, 1980-2006




Sources: International Narcotics Control Board; United Nations population data
By: Pain & Policy Studies Group, University of Wisconsin/WHO Collaborating Center, 2008

Mg/capita Consumption of Methadone, Argentina, 1980-2006




Sources: International Narcotics Control Board; United Nations population data
By: Pain & Policy Studies Group, University of Wisconsin/WHO Collaborating Center, 2008

Mg/capita Consumption of Morphine, Argentina, 1980-2006




Sources: International Narcotics Control Board; United Nations population data
By: Pain & Policy Studies Group, University of Wisconsin/WHO Collaborating Center, 2008

Mg/capita Consumption of Oxycodone, Argentina, 1980-2006



Sources: International Narcotics Control Board; United Nations population data
By: Pain & Policy Studies Group, University of Wisconsin/WHO Collaborating Center, 2008

Mg/capita Consumption of Pethidine, Argentina, 1980-2006



Sources: International Narcotics Control Board; United Nations population data
By: Pain & Policy Studies Group, University of Wisconsin/WHO Collaborating Center, 2008