


# AMRO Consumption of Pethidine, 2007



Sources: International Narcotics Control Board; United Nations population data  
By: Pain & Policy Studies Group, University of Wisconsin/WHO Collaborating Center, 2009

## AMRO Regional Pethidine Consumption, 2007: (mg/capita)

**Note: Countries not listed did not report pethidine consumption to the INCB for 2007**

1	Canada	24.6586
2	United States of America	13.0453
3	Bahamas	12.1800
4	Trinidad and Tobago	7.5531
5	Saint Lucia	5.8250
6	Jamaica	5.3822
7	Grenada	5.2300
8	Dominica	4.7000
9	Netherlands Antilles	3.5579
10	Turks and Caicos Islands	3.3030
11	Falkland Islands	2.8986
12	Brazil	2.6722
13	El Salvador	2.4606
14	Saint Vincent and the Grenadines	2.3900
15	Montserrat	2.0969
16	Paraguay	1.6949
17	Panama	1.4653
18	Cuba	0.8478
19	Guatemala	0.7908
20	Chile	0.7899
21	Peru	0.5883
22	Suriname	0.5000
23	Venezuela	0.4494
24	Argentina	0.1548
25	Nicaragua	0.0038



**Pain & Policy Studies Group**  
WHO Collaborating Center for Policy and  
Communications in Cancer Care  
University of Wisconsin Carbone Cancer Center  
School of Medicine and Public Health