


Mg/capita Consumption of Fentanyl, India, 1980-2009


Mg/capita



Sources: International Narcotics Control Board; World Health Organization population data
By: Pain & Policy Studies Group, University of Wisconsin/WHO Collaborating Center, 2011


Mg/capita Consumption of Hydromorphone, India, 1980-2009

Mg/capita



Mg/capita Consumption of Methadone, India, 1980-2009


Mg/capita



Sources: International Narcotics Control Board; World Health Organization population data
By: Pain & Policy Studies Group, University of Wisconsin/WHO Collaborating Center, 2011

Mg/capita Consumption of Morphine, India, 1980-2009


Mg/capita



Sources: International Narcotics Control Board; World Health Organization population data
By: Pain & Policy Studies Group, University of Wisconsin/WHO Collaborating Center, 2011


Mg/capita Consumption of Oxycodone, India, 1980-2009

Mg/capita



Sources: International Narcotics Control Board; World Health Organization population data
By: Pain & Policy Studies Group, University of Wisconsin/WHO Collaborating Center, 2011

Mg/capita Consumption of Pethidine, India, 1980-2009



Sources: International Narcotics Control Board; World Health Organization population data
By: Pain & Policy Studies Group, University of Wisconsin/WHO Collaborating Center, 2011