


Slovakia

Opioid Consumption in Morphine Equivalence (ME) minus Methadone, mg per person



Sources: International Narcotics Control Board; World Health Organization population data
By: Pain & Policy Studies Group, University of Wisconsin/WHO Collaborating Center, 2015

Slovakia

Opioid Consumption in Morphine Equivalence (ME) minus Methadone, mg per person

Note: Blank cells indicate no consumption data

Year	Morphine	Pethidine ME	Oxycodone ME	Fentanyl ME	Hydromorphone ME	Total ME
1980						
1981						
1982						
1983						
1984						
1985						
1986						
1987						
1988						
1989						
1990						
1991						
1992						
1993		3.6761		5.6336		9.3096
1994	8.4137	0.3039	0.0052	0.5610		9.2839
1995	10.1456	1.1817		0.8234		12.1507
1996	7.5776	2.3958		0.7505		10.7239
1997	4.7579	0.8499		1.1610		6.7688
1998	7.2257	0.9128	0.0002	2.5659		10.7047
1999	7.6669	0.8863	0.0037	1.9883		10.5452
2000	4.2193	0.7623	0.8229	3.4148		9.2192
2001	3.5209	0.7828	0.0666	6.0510		10.4214
2002	4.4655	0.8291	0.0833	8.6866		14.0645
2003	3.7540	0.6114	0.6555	10.6604		15.6813
2004	4.3185	0.6676	4.2281	1.5660		10.7801
2005	3.1844	5.3127	2.1898	10.2928	1.1231	22.1029
2006	18.4104	12.8746	4.3892	38.0819	1.1250	74.8811
2007	2.2696	0.4224	2.1497	60.5544	1.2750	66.6711
2008				46.1093		46.1093
2009	1.7847	0.4070	3.4394	51.1768	2.2808	59.0886
2010	6.6276	0.3119	5.3210	47.3360	3.6287	63.2252
2011	2.7880	0.3324	7.2703	68.7040	1.8202	80.9149
2012	1.7260	0.3700	4.8448	37.6171	2.7029	47.2607
2013	1.7615	0.3422	6.0072	52.3985	2.9560	63.4653
2014	1.8302	0.4319	8.6906	99.0053	3.2222	113.1802
2015	1.8870	0.3104	10.1159	102.6813	3.1460	118.1406

Data sources:

Consumption data - International Narcotics Control Board

Population - United Nations World Population Prospects, 2013 Revision

ME conversion factors - WHOCC Centre for Drug Statistics Methodology

Pain & Policy Studies Group

University of Wisconsin

Carbone Cancer Center

WHO Collaborating Center