

NORTH CAROLINA

Resources & Information

Position Statements

Joint Statement on Pain Management in End-of-Life Care (Adopted by the North Carolina Medical, Nursing, and Pharmacy Boards)

◆ **Categories:** Clinical Practice, Licensee-Patient Relationship 📅 Adopted Oct 1999 | Amended Oct 2014

Through dialogue with members of the healthcare community and consumers, a number of perceived regulatory barriers to adequate pain management in end-of-life care have been expressed to the Boards of Medicine, Nursing, and Pharmacy. The following statement attempts to address these misperceptions by outlining practice expectations for licensees and other health care professionals authorized to prescribe medications, as well as nurses and pharmacists involved in this aspect of end-of-life care. The statement is based on:

- the legal scope of practice for each of these licensed health professionals;
- professional collaboration and communication among health professionals providing palliative care; and
- a standard of care that assures on-going pain assessment, a therapeutic plan for pain management interventions; and evidence of adequate symptom management for the dying patient.

It is the position of all three Boards that patients and their families should be assured of competent, comprehensive palliative care at the end of their lives. Licensees, nurses and pharmacists should be knowledgeable regarding effective and compassionate pain relief, and patients and their families should be assured such relief will be provided.

Because of the overwhelming concern of patients about pain relief, the licensee needs to give special attention to the effective assessment of pain. It is particularly important that the licensee frankly but sensitively discuss with the patient and the family their concerns and choices at the end of life. As part of this discussion, the licensee should make clear

that, in some end of life care situations, there are inherent risks associated with effective pain relief. *The Medical Board will assume opioid use in such patients is appropriate if the responsible licensee is familiar with and abides by acceptable medical guidelines regarding such use, is knowledgeable about effective and compassionate pain relief, and maintains an appropriate medical record that details a pain management plan.* Because the Board is aware of the inherent risks associated with effective pain relief in such situations, it will not interpret their occurrence as subject to discipline by the Board.

With regard to pharmacy practice, North Carolina has no quantity restrictions on dispensing controlled substances including those in Schedule II. This is significant when utilizing the federal rule that allows the partial filling of Schedule II prescriptions for up to 60 days. In these situations it would minimize expenses and unnecessary waste of drugs if the prescriber would note on the prescription that the patient is terminally ill and specify the largest anticipated quantity that could be needed for the next two months. The pharmacist could then dispense smaller quantities of the prescription to meet the patient's needs up to the total quantity authorized. Government-approved labeling for dosage level and frequency can be useful as guidance for patient care. Health professionals may, on occasion, determine that higher levels are justified in specific cases. However, these occasions would be exceptions to general practice and would need to be properly documented to establish informed consent of the patient and family.

Federal and state rules also allow the fax transmittal of an original prescription for Schedule II drugs for hospice patients. If the prescriber notes the hospice status of the patient on the faxed document, it serves as the original. Pharmacy rules also allow the emergency refilling of prescriptions in Schedules III, IV, and V. While this does not apply to Schedule II drugs, it can be useful in situations where the patient is using drugs such as Vicodin for pain or Xanax for anxiety.

The nurse is often the health professional most involved in on-going pain assessment, implementing the prescribed pain management plan, evaluating the patient's response to such interventions and adjusting medication levels based on patient status. In order to achieve adequate pain management, the prescription must provide dosage ranges and frequency parameters within which the nurse may adjust (titrate) medication in order to achieve adequate pain control. Consistent with the licensee's scope of practice, the RN or LPN is accountable for implementing the pain management plan utilizing his/her knowledge base and documented assessment of the patient's needs. *The nurse has the authority to adjust medication levels within the dosage and frequency ranges stipulated by*

the prescriber and according to the agency's established protocols. However, the nurse does not have the authority to change the medical pain management plan. When adequate pain management is not achieved under the currently prescribed treatment plan, the nurse is responsible for reporting such findings to the prescriber and documenting this communication. Only the licensee or other health professional with authority to prescribe may change the medical pain management plan.

Communication and collaboration between members of the healthcare team, and the patient and family are essential in achieving adequate pain management in end-of-life care. Within this interdisciplinary framework for end of life care, effective pain management should include:

- thorough documentation of all aspects of the patient's assessment and care;
- a working diagnosis and therapeutic treatment plan including pharmacologic and non-pharmacologic interventions;
- regular and documented evaluation of response to the interventions and, as appropriate, revisions to the treatment plan;
- evidence of communication among care providers;
- education of the patient and family; and
- a clear understanding by the patient, the family and health care team of the treatment goals.

It is important to remind health professionals that licensing boards hold each licensee accountable for providing safe, effective care. Exercising this standard of care requires the application of knowledge, skills, as well as ethical principles focused on optimum patient care while taking all appropriate measures to relieve suffering. The health care team should give primary importance to the expressed desires of the patient tempered by the judgment and legal responsibilities of each licensed health professional as to what is in the patient's best interest.

Physical Address: 1203 Front Street, Raleigh, NC, 27609-7533

Mailing Address: PO Box 20007, Raleigh, NC, 27619-0007

Telephone: (919) 326-1100 or (919) 326-1109 | Free Long Distance: (800) 253-9653

General Fax: (919) 326-0036 | Licensing Dept. Fax: (919) 326-1130

Disclaimer